



Corporate Office:

Aldeko Panels Pvt. Ltd.

A-25, First Floor, Pushpanjali Enclave, Pitampura, Delhi-110034

Works: Plot No. : B-10, Sidcul, Kotdwar, Uttarakhand.

Customer Care No.
+91 11 4707 4172, +91 7217714596

info@aldekopanel.com
www.aldekopanel.com

Branch Offices:

- > Delhi
- > Uttar Pradesh
- > Punjab
- > Uttarakhand
- > Bihar
- > Chhattisgarh
- > Madhya Pradesh
- > Rajasthan
- > Karnataka
- > Jammu & Kashmir
- > West Bengal



Our Website



WhatsApp Chat



Instagram



VOCAL FOR LOCAL



ALDEKO
Bring your vision to life!

acrylic
luxe
ACRYLIC LAMINATE

ALDEKO

Bring your vision to life!

acrylic
luxe

ACRYLIC LAMINATE



6H ANTI SCRATCH
ANTI YELLOW

Talking OVER OUR STORY

As **Adeko**, established in 2018, we proudly build upon a profound **40-year** legacy of excellence in the construction industry, pioneered by **Vikanshu Petrochem**. This deep-rooted experience has earned us a reputation as a trusted leader, contributing significantly to India's infrastructure development across diverse regions.

At **Adeko**, we are committed to delivering innovative solutions that meet the dynamic needs of modern construction. Specializing in the production of high-performance Aluminium and Metal Composite Panels (ACP), WPC LOUVERS, ACRYLIC, WALL PANELS, SOFFIT, our premium products are engineered to redefine modern aesthetics and unlock new possibilities in architectural design. We offer unmatched versatility, superior durability, weather resistance, and stunning visual impact for both interior and exterior applications.

Our unwavering commitment to quality, sustainability, and exceptional customer care forms the bedrock of our operations. Each panel is meticulously crafted at our advanced manufacturing facility in Kotdwar, Uttarakhand, which adheres to stringent quality controls and relevant industry certifications. We also integrate sustainable practices throughout our production process to minimize environmental impact.

With a comprehensive distribution network and a dedicated support team, we provide seamless delivery and reliable service throughout India. Our extensive range of colors and finishes, offering from classic to contemporary, provides the versatility to bring any unique architectural vision to life.

Customer satisfaction is at the core of everything we do – your success is our success. Partner with **Adeko**, and together, let's create something truly extraordinary.



VIKANSHU GROUP

FEATURES



ANTI SCRATCH

Treated with a special lacquer coating on the surface, our 6th anti scratch acrylic laminates can bear daily wear & tear.



TERMITE & BORER FREE

Our laminates are specially treated to ensure they remain termite and borer free for several years.



LIGHT WEIGHT

For ease of use and Effortless installation, our Range of laminates have been developed in A way to keep them extremely light weight.



WATER PROOF

Low porosity low water absorption.



ANTI YELLOW

Anti-Yellow UV Resistance.



100% PURE ACRYLIC

100% Pure Acrylic Sheet



HIGHLY DURABILITY & STRENGTH

Our Anti Scratch Acrylic Laminates are Extremely sturdy and Durable. They can withstand heavy loads easily.



COLOUR FASTENING

The laminate of the product lasts for years without fading or loss of gloss, maintaining color fastness.

#ALDEKORATE

YOUR SPACES

Content

Marble series _____ **01 | 08**

Wooden series _____ **09 | 10**

Skin Soft series _____ **11 | 12**

Sheen series _____ **13 | 14**

Solid series _____ **17 | 22**

**Metallic &
Sparkle** series _____ **25 | 28**

Mirror series _____ **29 | 30**

Fluted series _____ **31 | 34**

Glass series _____ **35 | 36**

The exceptional acrylic collection by **ALDEKO**
is here to give every space a luxurious touch with its grandness.



Marble series



ACR - 7001



ACR - 7001 MT
Skin Soft



Strong Bonding



Water Resistant



Durability & Strength



Chemical Resistant



100% Acrylic



ACR - 7002



ACR - 7002 MT
Skin Soft



"Architecture is a visual art, and the buildings speak for themselves."

Julia Morgan





ACR - 7003



ACR - 7003 MT
Skin Soft



ACR - 7004



ACR - 7004 MT
Skin Soft





ACR - 7005



ACR - 7006



ACR - 7007



ACR - 7008





ACR - 7009



ACR - 7010



ACR - 7011



ACR - 7012



Wooden series



ACR - 7102



ACR - 7101



ACR - 7102



ACR - 7103




"Buildings, too, are children of the Earth and Sun."
(Connects buildings and their materials to their natural origins, promoting harmony with nature).

Frank Lloyd Wright

Skin Soft


series




ACR - 1002 MT

"Your home should tell the story of who you are,
and be a collection of what you love.


Nate Berkus



ACR - 1001 MT
Skin Soft



ACR - 1002 MT
Skin Soft




ACR - 1003 MT
Skin Soft



ACR - 1006 MT
Skin Soft



ACR - 1009 MT
Skin Soft




ACR - 1011 MT
Skin Soft

Sheen


series




ACR - 2001



ACR - 2001



ACR - 2002



ACR - 2003



ACR - 2004



ACR - 2005



ACR - 2006





ACR - 1008

"A room should never allow the eye to settle in one place. It should smile at you and create fantasy."
Juan Montoya



Strong Bonding



Water Resistant



Durability & Strength




Chemical Resistant




100% Acrylic

Solid series



ACR - 1001



ACR - 1002



ACR - 1003



ACR - 1004



ACR - 1005



ACR - 1006





Strong Bonding



Water Resistant




Durability & Strength



Chemical Resistant




100% Acrylic




ACR - 1007



ACR - 1008



ACR - 1009




ACR - 1013



ACR - 1014



ACR - 1015



ACR - 1010



ACR - 1011



ACR - 1012



ACR - 1016



ACR - 1017



ACR - 1018





Strong Bonding



Water Resistant



Durability & Strength




Chemical Resistant




100% Acrylic

Solid


series




ACR - 1019




ACR - 1020




ACR - 1021



ACR - 1022



ACR - 1023



ACR - 1024





ACR - 1107



Strong Bonding



Water Resistant



Durability & Strength



Chemical Resistant



100% Acrylic

Metallic & Sparkle series



ACR - 1101



ACR - 1102



ACR - 1103



ACR - 1104



ACR - 1105



ACR - 1106

"Good design doesn't date."

Harry Seidler



ACR - 4002



Strong Bonding



Water Resistant



Durability & Strength




Chemical Resistant




100% Acrylic

Metallic & Sparkle series




ACR - 1107




ACR - 1108



ACR - 1109



ACR - 1110



ACR - 1111




ACR - 1112





Mirror series



ACR - 6001



Strong Bonding



Water Resistant



Durability & Strength



Chemical Resistant



100% Acrylic



ACR - 6002



ACR - 6003

"Rawness and refinement are not opposite ends of a luxurious spectrum. They are two complementary features with which to populate a luxe environment."

Kelly Wearstler



ACR - 7001 FL



Strong Bonding



Water Resistant



Durability & Strength



Chemical Resistant




100% Acrylic

Fluted

series



ACR - 7001 FL



ACR - 7002 FL





Strong Bonding



Water Resistant




Durability & Strength




Chemical Resistant



100% Acrylic




ACR - 7004 FL



ACR - 7010 FL



ACR - 7005 FL



ACR - 7011 FL



Glass

series



ACR - 01 GL

ACR - 02 GL

TECHNICAL SPECIFICATION

Parameter	Acrylic Laminate	High Gloss Laminate Mica	PU Coating/ Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	6H Anti Scratch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	No
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
Dry Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes

CAUSES OF YELLOW PATCHES AND COLOUR FADING AFTER INSTALLATION :



If hot cookware or utensils are directly placed on the laminate



Use of inferior or sub-standard dipped plywood or dipped lipping patti, which may chemically react with the adhesive



The use of synthetic rubber adhesives such as SR / Jat Pat, Bostic, Heatx, etc.



Prolonged exposure to high temperature (above 30°C-35°C)




Exposure to direct sunlight can gravity affect a laminated appearance

REASONS FOR AIR BUBBLE FORMATIONS ON LAMINATES:



Insufficient or lack of pressing during the bonding period of laminate



Debonding in certain areas because of uneven substrate surface



Laminates are bonded in extremely humid conditions



Use of water base synthetic resin adhesive any other than PEVA (Polyethylene Vinyl Acetate Co-polymer)



When substrate loses moisture after installation



Use of extremely large acrylic/PVC laminate sheets for maximum utilization

TECHNICAL SPECIFICATION

THICKNESS : 1.5MM (+/- 10%)

STANDARD SHEET SIZE : 1240mm x 2440MM (8'x4')

DO's & DON'Ts for ALDEKO ACRYLIC LAMINATES

- DO NOT place any hot substrate or cookware directly on laminates. We do not recommend using laminates for tabletops.
- DO NOT use thinner or any harsh cleaning agents to clean the laminate surface, as this can cause damage.
- DO clean the laminate surface with water and a smooth cloth.
- DO NOT expose laminates to temperatures above 30°C, as this may cause surface damage.
- DO use Acrylic to Wood Adhesives, readily available in the market, for easy pasting of laminates.
- DO begin pressing the laminate from the center and work outwards towards the sides and corners of the sheet.
- DO keep laminate sheets that are in roll form straight under pressure for a minimum of 48 hours before application to ensure better results.
- DO give sufficient pressure to the laminate for up to 15 hours to secure good bonding strength and prevent any bubbles.

LIMITED WARRANTY

ALDEKO warrants that all its products are free from manufacturing defects and are suitable for use under normal conditions. ALDEKO assumes no liability for claims arising from the following circumstances:

- Color variations occurring between different production batches.
- Improper handling of the product or any damage incurred during transportation.
- Improper installation of the product.
- Exposure of laminate sheets to direct sunlight.
- Use in outdoor applications.

Aldeko's liability for improper installation extends only to its acrylic products. Aldeko bears no responsibility for issues related to plywood, glue, or any other materials used for installation.

OUR CREDENTIALS



ALDEKO ACRYLIC LAMINATE VS. LACQUERED GLASS

1

Aesthetics:

Acrylic Laminate: Preferred for a gloss finish, they are a "decorative surface material" that adds significant "visual appeal to your interior."

Lacquered Glass: Considered "comparatively less striking" than acrylic laminate and requires "utmost care after & during application," suggesting a more delicate and less impactful finish.

2

Cost:

Acrylic Laminate: Despite their aesthetic appeal and ease of cleaning, "they come with lower price than Lacquered Glass."

Lacquered Glass: Comes with a "very high price tag in comparison to ACRYLIC LAMINATE."

3

Colors & Varieties:

Acrylic Laminate: "Retain their color and brightness for ages and are available in plenty of vibrant colors."

Lacquered Glass: Has "limited variety of color & pattern."

4

User Friendly and Safety:

Acrylic Laminate: Available in various thickness and are "lighter in weight," making them "safe to use... in interior."

Lacquered Glass: Available in 6mm thickness and are "heavy in weight," posing a higher risk ("very much risky to use it in interior"). The text warns of "always a chance of accident during and after the use of Lacquered Glass."

5

Maintenance & Durability:

Acrylic Laminate: "Are scratch resistant." While they "do tend to get scratched over the years," they "always appear ultra-glossy and relatively smooth," implying that minor scratches are less noticeable or do not detract significantly from the overall appearance.

Lacquered Glass: "Are tend to have scratches on its surface very easily," indicating lower durability and susceptibility to visible damage.

Product Range From The House of Aldeko

ACP
PANELS

HPL
PANELS

PARTITION
PANELS

ACRYLIC
LAMINATES

WPC
LOUVERS

SOFFIT
PANELS

FIN
LOUVERS

FLUTED
LOUVERS

WALL
PANELS

EDGE BEND
TAPE

APPLICATION



Kitchen

Durable, glossy, stylish, easy-clean surface for modern kitchen cabinets.



Furniture

Glossy, durable, stylish finish enhances modern furniture with easy maintenance.



Bathroom

Water-resistant, glossy, durable acrylic adds elegance to bathroom interiors.



Commercial

Sleek, durable, low-maintenance acrylic enhances modern commercial space aesthetics.



Healthcare

Hygienic, durable, easy-to-clean acrylic suits modern healthcare interior needs.



Restaurants

Stylish, durable, easy-clean acrylic enhances modern restaurant interior design.

Kitchen | Wardrobe | Doors and drawer fronts | Office spaces
TV unit | Furniture | Residences | Offices | Shops | Hotels | Malls | Airports